

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

Project ID No.: MS-OM-1994

Title: Leak Detection System Testing Services at BH, BM and WH (2019-2023)

Description: Subcontractor shall provide on-site annual static testing at the following SPR sites/pipelines using EFA LEAKNET® leak detection and location system: (1) BH-Sun 36 inch, 24.44 miles, crude oil pipeline, (2) WH-Sun 42 inch, 42.77 miles, crude oil pipeline, (3) WH-LCMS 36 inch, 13.6 miles, crude oil pipeline, and (4) BM-Dock 30 inch, 3.8 miles, crude oil pipeline.

Regulatory Requirements National Environmental Policy Act (NEPA) Implementing Procedures (10 Code of Federal Regulations (CFR) 1021)

10 CFR 1021.410 (Application of Categorical Exclusions)

(a) The actions listed in Appendices A and B of Subpart D are classes of actions that Department of Energy (DOE) has determined do not individually or cumulatively have a significant effect on the human environment (categorical exclusions).

(b) To find that a proposal is categorically excluded, DOE shall determine the following:

- (1) The proposed action fits within a class of actions that is listed in Appendix A or B of Subpart D;
- (2) There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal; and
- (3) The proposal is not "connected" (40 CFR 1508.25(a)(1)) to other actions with potentially significant impact, is not related to other proposed actions with cumulatively significant impacts (40 CFR 1508.25(a)(2)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

Appendix B (Categorical Exclusions Applicable to Specific Agency Actions)

The proposed action must not:

1. Threaten a violation of statutory, regulatory, or permit requirements for environment, safety, and health, including requirements of DOE and/or Executive Orders;
2. Require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities;
3. Disturb hazardous substances, pollutants, contaminants, or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)-excluded petroleum and natural gas products that preexist in the environment such that would be uncontrolled or un-permitted releases;
4. Have the potential to cause significant impacts on environmentally sensitive resources, which includes (i) property (sites, buildings, structures, and objects) of historical, archeological, or architectural significance; (ii) federally-listed and state-listed threatened or endangered species or their habitat, federally-protected marine mammals and essential fish habitat and otherwise federally-protected species; (iii) floodplains and wetlands; (iv) federally and state designated areas (wilderness areas, national parks, national monuments, national natural landmarks, wild and scenic rivers, wildlife refuges, scenic areas, and marine sanctuaries); (v) prime or unique farmland; (vi) special sources of water (sole-source aquifers, wellhead protection areas, and other vital water resources); and (vii) tundra, coral reefs, or rain forests); or
5. Involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species.

NEPA Preparer: Matt Dubuc Creation Date: 07/26/2019

RECORD OF CATEGORICAL EXCLUSION DETERMINATION

Environmental Analysis: (mark all environmental aspects that are applicable to this project)

Air Emissions		Environmental Monitoring		Fire	
Green Procurement		Project Design		Waste	
Spills/Releases		Cavern Integrity		Discharges	
Energy Use		Natural Resource Conservation		Water Use	
Transportation		Chemical Use/Selection		Public Involvement	
Sustainable Building		Electronic Stewardship		Wetlands Permitting	
Clean Water		Pollution Prevention			

Categorical Exclusion (CX) Determination

NEPA review suggests this project is a Categorical Exclusion. This suggestion is based on review of the project description. If there are changes in the scope of this project additional NEPA review may be required.

CX to be applied A8

Award of contracts for technical support services, management and operation of a government-owned facility, and personal services.

CX to be applied B2.4

Activities undertaken to (1) qualify equipment for use or improve systems reliability or (2) augment information on safety-related system components. These activities include, but are not limited to, transportation container qualification testing, crane and lift-gear certification or recertification testing, high efficiency particulate air filter testing and certification, stress tests (such as "burn-in" testing of electrical components and leak testing), and calibration of sensors or diagnostic equipment.

NEPA Approval

Based on my review of information conveyed to me and in my possession the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1) I have determined that the proposed action fits within the specified actions, the other regulatory requirements set forth above are met, and the action is hereby excluded from further NEPA review.

Approved By

DOE NEPA Compliance Officer

Stephen Reese

NEPA Review Summary

Created By:	Dubuc, Matthew
Date NEPA Review Initiated:	7/26/2019
Type of NEPA Review:	Type B
Project ID Number:	MS-OM-1994
Title:	Leak Detection System Testing Services at BH, BM and WH 2019-202
Workflow Status:	Approved

If Workflow Status is Rejected, see below for Reason:

Concurrence Details:

Sevcik, Bob 7/29/2019
FFPO Environmental Concurrence *Compliance Date*
(not required for Type A-DOE Only Record of NEPA Review or Type B-DOE Only Record of Categorical Exclusion Determination)

Crosby, Thomas 7/29/2019
SPR Derivative Classifier *Compliance Date*
(only required for Type B)

Catyb, Joseph 7/30/2019
DOE ES&H Director (or Acting) *Compliance Date*
(only required for Type B & Type A-DOE Only Record of NEPA Review)

Reese, Stephen 8/19/2019
DOE NEPA Compliance Officer (or Acting) *Compliance Date*

ALL SIGNATURES WERE CAPTURED VIA THE ELECTRONIC WORKFLOW SYSTEM.

Click on the following Link to view the associated NEPA Document:

https://myspr.spr.doe.gov/sites/sprworkflow/nepa/NEPA_Uploaded_Documents/Leak_Detection_2019-2023.docx, NEPA Doc Link